

**PREPARATION AND PROPERTIES OF POLY (VINYL
CHLORIDE) / EPOXIDIZED NATURAL RUBBER / KENAF
CORE POWDER COMPOSITES**

ROHANI BINTI ABDUL MAJID

UNIVERSITI SAINS MALAYSIA

2016

**PREPARATION AND PROPERTIES OF POLY (VINYL
CHLORIDE) / EPOXIDIZED NATURAL RUBBER / KENAF
CORE POWDER COMPOSITES**

by

ROHANI BINTI ABDUL MAJID

**Thesis submitted in fulfillment of the
requirements for the degree
of Doctor of Philosophy**

March 2016

ACKNOWLEDGEMENTS

First of all, I would like to extend my sincere gratitude to my parents, Abdul Majid Othman and Majidah Ismail, for showering me with encouragements and love. Not forgetting my husband Mohd Firdaus Rusli, that giving me all the encouragements and supports that I need. I am especially indebted to my supervisor Prof. Dr. Hanafi Ismail for his constants assistance, advices and guidance that molded me into a researcher that armed with skill and knowledge to carry out my research with great perseverance. Sincere thanks are accorded to my co-supervisor, Assoc. Prof. Dr Razaina Mat Taib for spending her valuable time and effort to evaluate my research papers and thesis prior to submission.

Special acknowledgements are also accorded to my research group colleagues, Norshahida, Siti Zuliana, Hazwani Syaza, Pang Ai Ling, Fikri, Nur Fasihah, Nabil, Ooi, Shazlin Shaari, Shamala Ramasamy, Dalina, Faiezah, Shuhairiah, Fairuz Mazlia, Mathi, Indrajith and Julia for giving me a lot of helpful mentally and physically support to help me achieve my goals and sharing all the moments of joy, laugh and sad throughout my study days. My sincere thanks also extended to all postgraduates colleagues, Siti Rohana Yahya, Salwa Alias, Norhidayah, Nik Nurazza, Ku Marsilla and Raa Khimi for their support, encouragement and invaluable advised.

The advices and opinions obtained from the lab assistants namely En. Mohd Hassan, En. Suharudin, En. Faizal, En. Shahril, En. Rashid, En. Zul and En. Khairi are greatly appreciated. Finally, the School of Materials & Mineral Resources Engineering, Universiti Sains Malaysia, Government of Malaysia, My Brain15 and Universiti Sains Malaysia are also acknowledged for providing research grant and facilities during my study.

TABLE OF CONTENT

Acknowledgement.....	ii
Table of content.....	iii
List of Tables.....	x
List of Figures.....	xiii
List of Units	xxiii
List of Abbreviations	xxiv
Abstrak.....	xxvi
Abstract.....	xxviii

CHAPTER 1: INTRODUCTION

1.1 General Introduction.....	1
1.2 Problem Statement.....	4
1.3 Research Objectives.....	5
1.4 Outline of Thesis Structure.....	6

CHAPTER 2: LITERATURE REVIEW

2.1 Introduction.....	9
2.2 TPE Composite.....	9
2.3 TPE Composites Component	
2.3.1 Poly (Vinyl Chloride)	10
2.3.1.1 Structure and Properties of PVC.....	12
2.3.1.2 Plasticized PVC.....	15
2.3.1.3 Heat stabilizer for PVC.....	17
2.3.2 Natural Rubber	
2.3.2.1 NR.....	19
2.3.2.2 ENR.....	20

2.3.3 Type and Structure of Natural Fibre.....	22
2.3.3.1 Kenaf Fibre.....	23
2.3.3.2 Kenaf Fibre Modification.....	25
2.3.3.2.1 NaOH Treatment.....	25
2.3.3.2.2 Sodium Dodecyl Sulphate (SDS) Treatment..	28
2.3.3.2.3 Benzoyl Chloride (BC) Treatment.....	29
2.4 The research and development for thermoplastic elastomer blends	
2.4.1 Introduction.....	32
2.4.2 PVC/NBR.....	33
2.4.3 PVC/ENR	
2.3.3.3 Introduction.....	35
2.4.3.2 Processing and Rheological properties of PVC/ENR blend.....	35
2.4.3.3 Mechanical properties of PVC/ENR blend.....	38
2.4.3.4 Thermal Properties of PVC/ENR blend.....	40
2.4.3.5 Modification and Improvement of PVC/ENR blends...	41
2.5 The strategies of incorporating natural fiber in TPE	43
2.5.1 Introduction.....	43
2.5.2 PVC natural filler composites.....	45
2.5.3 ENR natural filler composites.....	47
2.6 Compatibilization of TPE Composites.....	49
2.7 Dynamic Vulcanization of Thermoplastic Elastomer Composites.....	50
2.7.1 Sulfur vulcanization.....	

CHAPTER 3: MATERIALS AND EXPERIMENTAL METHODS

3.1 Introduction.....	56
3.2 Materials	
3.2.1 Epoxidized Natural Rubber (ENR).....	56
3.2.2 Poly (vinyl chloride)	57
3.2.3 Filler Material (Kenaf core).....	57
3.2.4 Compatibilizer (PE-g-MA).....	58
3.2.5 Plasticizer.....	59
3.2.6 Heat stabilizer.....	59
3.2.7 Chemical modifier.....	59
3.2.8 Crosslinking agents.....	60
3.3 Chemical treatment and modification	
3.3.1 Sodium Dodecyl Sulphate treatment.....	60
3.3.2 Benzoyl Chloride treatment.....	60
3.3.3 Synthesis and purification of PVC-g-MA.....	61
3.3.3.1 Determination of the MA content.....	62
3.3.4 PVC Preparation.....	63
3.3.5 Preparation of the composites.....	63
3.3.6 Preparation of the composites with compatibilizer.....	64
3.3.7 Preparation of the composites with dynamic vulcanization.....	64
3.3.8 Compression moulding	64
3.4 PVC/ENR blends and PVC/ENR/kenaf core powder composites formulation	
3.4.1 PVC/ENR blends.....	67
3.4.2 PVC/ENR/KCP composites.....	67

3.4.3 PVC/ENR/KCP composites with PE-g-MA and PVC-g-MA as a compatibilizer.....	68
3.4.4 PVC/ENR/KCP composites with dynamic vulcanization.....	69
3.5 Measurements and Analysis	
3.5.1 Tensile Properties.....	69
3.5.2 Morphology study.....	70
3.5.3 Fourier-transform infrared spectroscopy (FTIR).....	70
3.5.4 Water absorption study.....	70
3.5.5 Swelling test.....	71
3.5.6 Thermo-oxidative ageing analysis.....	72
3.5.7 Dynamic Mechanical Analysis (DMA).....	72
3.5.8 Thermo Gravimetric (TGA).....	72

CHAPTER 4: THE EFFECT OF MALEIC ANHYDRIDE (MA) COMPATIBILIZERS ON THE PROPERTIES OF PVC/ENR/KENAF CORE POWDER COMPOSITES

4.1 Introduction.....	73
4.2 Results and Discussion	
4.2.1 FTIR Analysis and Determination of the MA content.....	74
4.2.2 Processing Torque.....	75
4.2.3 Tensile Properties.....	79
4.2.4 Water Absorption Properties.....	85
4.2.5 Swelling Properties.....	91
4.2.6 Morphology Analysis.....	93
4.2.7 FTIR Analysis.....	97

4.2.8 Thermo-oxidative Ageing Properties.....	98
4.2.9 DMA Analysis	105
4.2.10 Thermal Stability Analysis.....	108

**CHAPTER 5: THE EFFECT OF DYNAMIC VULCANIZATION (DV)
ON THE PROPERTIES OF PVC/ENR/KENAF CORE
POWDER COMPOSITES**

5.1 Introduction.....	114
5.2 Results and Discussion	
5.2.1 Processing Torque.....	114
5.2.2 Tensile Properties.....	117
5.2.3 Water Absorption Properties.....	120
5.2.4 Swelling Properties.....	123
5.2.5 Morphology Analysis.....	124
5.2.6 FTIR Analysis.....	128
5.2.7 Thermo-oxidative Ageing Properties	129
5.2.8 DMA Analysis	133
5.2.9 Thermal Stability Analysis.....	135

**CHAPTER 6: THE EFFECT OF BENZOYL CHLORIDE (BC)
FILLER TREATMENT ON THE PROPERTIES OF
PVC/ENR/KENAF CORE POWDER COMPOSITES**

6.1 Introduction.....	138
6.2 Results and Discussion	
6.2.1 Processing Torque.....	138

6.2.2 Tensile Properties.....	143
6.2.3 Water Absorption Properties.....	146
6.2.4 Swelling Properties.....	148
6.2.5 Morphology Analysis.....	149
6.2.6 FTIR Analysis	153
6.2.7 Thermo-oxidative Ageing Properties	154
6.2.8 DMA Analysis	157
6.2.9 Thermal Stability Analysis.....	158

**CHAPTER 7: THE EFFECT OF SODIUM DODECYL SULPHATE
(SDS) FILLER TREATMENT ON THE
PROPERTIES OF PVC/ENR/KENAF CORE
POWDER COMPOSITES**

7.1 Introduction.....	161
7.2 Results and Discussion	
7.2.1 Processing Torque	161
7.2.2 Tensile Properties.....	163
7.2.3 Water Absorption Properties.....	167
7.2.4 Swelling Properties.....	169
7.2.5 Morphology Analysis.....	170
7.2.6 FTIR Analysis	171
7.2.7 Thermo-oxidative Ageing Properties	173
7.2.8 DMA Analysis	176
7.2.9 Thermal Stability Analysis.....	178

CHAPTER 8: CONCLUSIONS RECOMMENDATIONS FOR FUTURE STUDY

8.1 Conclusions.....	180
8.2 Suggestion and for Future Works.....	183
REFERENCES.....	185
LIST OF PUBLICATIONS.....	203
LIST OF APENDIXES	

LIST OF TABLES

		Page
Table 2.1	Variuos chemical treatment of natural fiber	32
Table 2.2	Common accelerators used in sulfur vulcanization process.	52
Table 3.1	Typical properties of epoxidized natural rubber	56
Table 3.2	Typical properties of poly (vinyl chloride)	57
Table 3.3	The blend ratio of PVC/ENR in preliminary study	67
Table 3.4	The proportion of KCP in PVC/ENR blends	67
Table 3.5	Preliminary study of PE-g-MA as the compatibilizer in PVC/ENR/KCP composites.	68
Table 3.6	The proportion of KCP in PVC/ENR blends with compatibilizers	68
Table 3.7	The proportion of KCP in PVC/ENR blends with dynamic vulcanization	69
Table 4.1	Tensile strength of PVC/ENR/KCP without MA compatibilizer, with PE-g-MA and with PVC-g-MA, before and after thermo-oxidative ageing.	102
Table 4.2	Young's modulus of PVC/ENR/KCP without MA compatibilizer, with PE-g-MA and with PVC-g-MA, before and after thermo-oxidative ageing.	105

		Page
Table 4.3	Elongation at break of PVC/ENR/KCP without MA compatibilizer, with PE-g-MA and with PVC-g-MA, before and after thermo-oxidative ageing.	105
Table 4.4	Effect of KCP Loading and MA compatibilizer on the $\tan \delta_{\max}$ and the Glass Transition Temperature of PVC/ENR/KCP Composites	109
Table 4.5	Effect of KCP loading and MA compatibilizer on the thermal decomposition of PVC/ENR/KCP Composites	113
Table 5.1	Tensile strength of PVC/ENR/KCP without dynamic vulcanization, with dynamic vulcanization, before and after thermo-oxidative ageing	132
Table 5.2	Young's modulus of PVC/ENR/KCP without dynamic vulcanization, with dynamic vulcanization, before and after thermo-oxidative ageing	133
Table 5.3	Elongation at break of PVC/ENR/KCP without dynamic vulcanization, with dynamic vulcanization, before and after thermo-oxidative ageing	134
Table 5.4	Effect of KCP loading and DV on the $\tan \delta_{\max}$ and the glass transition temperature of PVC/ENR/KCP composites	137
Table 6.1	Tensile strength of PVC/ENR/KCP without BC treatment and with BC treatment, before and after thermo-oxidative ageing.	156

		Page
Table 6.2	Young's modulus of PVC/ENR/KCP without BC treatment and with BC treatment, before and after thermo-oxidative ageing.	156
Table 6.3	Elongation at break of PVC/ENR/KCP without BC treatment and with BC treatment, before and after thermo-oxidative ageing.	157
Table 6.4	Effect of KCP Loading and BC treatment on the Tan δ_{\max} and the Glass Transition Temperature of PVC/ENR/KCP Composites	159
Table 6.5	The decomposition temperature at different weight loss and various stages for PVC/ENR/KCP composites with and without BC treatment.	162
Table 7.1	Functional group of kenaf core.	176
Table 7.2	Tensile strength of PVC/ENR/KCP without SDS treatment and with SDS treatment, before and after thermo-oxidative ageing.	177
Table 7.3	Young's modulus of PVC/ENR/KCP without SDS treatment and with SDS treatment, before and after thermo-oxidative ageing.	177
Table 7.4	Elongation at break of PVC/ENR/KCP without SDS treatment and with SDS treatment, before and after thermo-oxidative ageing.	178

LIST OF FIGURES

		Page
Figure 2.1	European plastic demand by category	11
Figure 2.2	Polymerization of vinyl chloride to form polyvinyl chloride	13
Figure 2.3	Dehydrochlorination reaction (zipper reaction) of PVC	14
Figure 2.4	The allylic chlorine structure (*)	14
Figure 2.5	Formation of cyclic peroxides during thermal oxidation of polyene in PVC	15
Figure 2.6	The action of heat stabilizer in PVC	18
Figure 2.7	Chemical structure of cis-1,4-polyisoprene of natural rubber	20
Figure 2.8	Epoxidization reaction of natural rubber with peroxyacid solution	21
Figure 2.9	Chemical structure of cellulose	24
Figure 2.10	Chemical structure of lignin	24
Figure 2.11	Schematic representation of raw and alkali treated natural fiber.	26
Figure 2.12	Chemical structure of sodium dodecyl Sulfate	28
Figure 2.13	Reaction between cellulosic –OH group and benzoyl chloride.	30

		Page
Figure 2.14	The crosslinking interaction between PVC and NBR.	34
Figure 2.15	PVC/ENR self cross-linking reaction.	37
Figure 2.16	Self-crosslinking of lignin/epoxidized natural rubber composites.	47
Figure 2.17	Peroxide-initiated graft reaction of polyolefin backbone with (a) glycidyl methacrylate and (b) maleic anhydride	48
Figure 3.1	Particle size distribution of KCP	58
Figure 3.2	Polyethylene grafted maleic anhydride	58
Figure 3.3	Sodium dodecyl sulfate	59
Figure 3.4	Benzoyl chloride	59
Figure 3.5	Flow chart of PVC/ENR/KCP composites preparation and measurements.	65
Figure 3.6	Overall experimental stages of PVC/ENR/KCP composites.	66
Figure 4.1	FTIR analysis of MA, PVC-g-MA and raw PVC.	74
Figure 4.2	Processing Torque of PVC/ENR/KCP composites without MA.	75
Figure 4.3	Processing Torque of PVC/ENR/KCP composites with PE-g-MA.	76

		Page
Figure 4.4	Processing Torque of PVC/ENR/KCP composites with PVC-g-MA.	77
Figure 4.5	Stabilization Torque of PVC/ENR/KCP composites without MA compatibilizer and with PE-g-MA and PVC-g-MA.	77
Figure 4.6	Esterification reaction between kenaf core powder and PE-g-MA	78
Figure 4.7	Self-cross-linking interaction (crosslinking without the addition of crosslink agent) between PVC and ENR.	78
Figure 4.8	Proposed chemical interaction between kenaf + PE-g-MA with PVC/ENR matrix (after self-cross-linking)	79
Figure 4.9	Tensile strength of PVC/ENR/KCP composites without MA compatibilizer, with PE-g-MA and with PVC-g-MA	82
Figure 4.10	Young's modulus of PVC/ENR/KCP composites without MA compatibilizer, with PE-g-MA and with PVC-g-MA	83
Figure 4.11	Elongation at break of PVC/ENR/KCP composites without MA compatibilizer, with PE-g-MA and with PVC-g-MA	85
Figure 4.12	Water Uptake of PVC/ENR/KCP composites without MA compatibilizer	89
Figure 4.13	Water Uptake of PVC/ENR/KCP composites with PE-g-MA	89
Figure 4.14	Water uptake of PVC/ENR/KCP composites with PVC-g-MA	90

		Page
Figure 4.15	Equilibrium of water uptake of PVC/ENR/KCP composites without MA compatibilizer, with PE-g-MA and with PVC-g-MA	90
Figure 4.16	Swelling index for PVC/ENR/KCP composites without MA compatibilizer, with PE-g-MA and with PVC-g-MA.	92
Figure 4.17	Schematic illustration of the diffusion pathway of toluene in ENR/PVC phases	93
Figure 4.18	Surface fracture morphology of PVC/ENR/KCP composites at 5 phr KCP loading (a) without MA compatibilizer, (b) with PE-g-MA, (c) with PVC-g-MA	95
Figure 4.19	Surface fracture morphology of PVC/ENR/KCP composites at 20 phr KCP loading (a) without MA compatibilizer, (b) with PE-g-MA, (c) with PVC-g-MA	96
Figure 4.20	FTIR spectrum of PVC/ENR/KCP composites without PVC-g-MA, PVC/ENR/KCP with PVC-g-MA and PVC-g-MA.	98
Figure 4.21	FTIR analysis of PVC/ENR/KCP before and after thermo-oxidative ageing.	104
Figure 4.22	FTIR analysis of PVC/ENR/KCP with PE-g-MA before and after thermo-oxidative ageing	104
Figure 4.23	FTIR analysis of PVC/ENR/KCP with PVC-g-MA before and after thermo-oxidative ageing.	105
Figure 4.24	Tan δ for PVC/ENR/KCP composites without MA as a function of temperature	107

		Page
Figure 4.25	Comparison of decomposition temperature between the PVC/ENR blend and PVC/ENR/KCP composites (20 phr KCP loading) without MA compatibilizer, with PE-g-MA, PVC-g-MA and kenaf core powder	111
Figure 4.26	Comparison of DTG between the PVC/ENR blend, PVC/ENR/KCP composites 20 phr KCP without MA compatibilizer, with PE-g-MA, PVC-g-MA and kenaf core powder	112
Figure 5.1	Processing Torque of PVC/ENR/KCP composites with dynamic vulcanization	115
Figure 5.2	Proposed interaction of sulphur vulcanization reaction with ENR	116
Figure 5.3	Stabilization torque of PVC/ENR/KCP composites with and without dynamic vulcanization.	116
Figure 5.4	Tensile Strength of PVC/ENR/KCP composites with and without dynamic vulcanization.	118
Figure 5.5	Young's modulus of PVC/ENR/KCP composites with and without dynamic vulcanization.	119
Figure 5.6	Elongation at break of PVC/ENR/KCP composites with and without dynamic vulcanization.	120
Figure 5.7	Water absorption of PVC/ENR/KCP with dynamic vulcanization.	122

		Page
Figure 5.8	Equilibrium of water uptake of PVC/ENR/KCP with and without dynamic vulcanization	122
Figure 5.9	Swelling Index of PVC/ENR/KCP with and without dynamic vulcanization	123
Figure 5.10	Surface fracture morphology of PVC/ENR blend, (a) without dynamic vulcanization, (b) with dynamic vulcanization	126
Figure 5.11	Surface fracture morphology of PVC/ENR/KCP with 5 phr loading, (a) without dynamic vulcanization, (b) with dynamic vulcanization	127
Figure 5.12	FTIR analysis of PVC/ENR/KCP with 5 phr KCP loading with and without dynamic vulcanization.	129
Figure 5.13	FTIR analysis of PVC/ENRKCP without DV before and after thermo-oxidative ageing.	132
Figure 5.14	FTIR analysis of PVC/ENRKCP with DV before and after thermo-oxidative ageing.	133
Figure 5.15	Comparison of Tan δ curve between the PVC/ENR blends, and PVC/ENR/KCP composites with 20 phr KCP loading with and without DV	134
Figure 5.16	Comparison of decomposition temperature between the PVC/ENR/KCP composites with and without DV	137
Figure 5.17	Comparison of DTG curve between the PVC/ENR/KCP composites with and without DV	137

		Page
Figure 6.1	Processing torque of PVC/ENR/KCP composites with benzoyl chloride treatment.	139
Figure 6.2	Stabilization torque of PVC/ENR/KCP composites with and without benzoyl chloride treatment.	140
Figure 6.3	Mechanical energy of PVC/ENR/KCP composites with and without benzoyl chloride treatment.	142
Figure 6.4	Reaction ; (a)between cellulosic –OH group and natural filler, (b) grafted KCP with PVC.	142
Figure 6.5	Tensile strength of PVC/ENR/KCP composites with and without BC treatment.	144
Figure 6.6	Young's Modulus of PVC/ENR/KCP composites with and without BC treatment	145
Figure 6.7	Elongation at break of PVC/ENR/KCP composites with and without BC treatment	146
Figure 6.8	Water uptakes of PVC/ENR/KCP composites with BC treatment	147
Figure 6.9	Equilibrium of water uptake for PVC/ENR/KCP composites with and without BC treatment.	148
Figure 6.10	Swelling index of PVC/ENR/KCP with and without BC treatment.	149

		Page
Figure 6.11	Figure 6.11. SEM facture surface of (a) PVC/ENR/KCP 5 phr loading without BC treatment, (b) 5 phr loading with BC treatment.	151
Figure 6.12	SEM facture surface of (a) 20 phr loading without BC treatment (b) 20 phr loading with BC treatment	152
Figure 6.13	SEM micrograph of PVC/ENR/KCP with BC treatment showing traces of matrix material surrounding the filler.	153
Figure 6.14	FTIR spectrum for KCP with and without BC treatment.	154
Figure 6.15	FTIR analysis of PVC/ENR/KCP with BC treatment before and after thermo-oxidative ageing.	157
Figure 6.16	Comparison of decomposition temperature between the PVC/ENR/KCP composites with 5 phr and 20 phr kenaf core powder loading with and without BC treatment	159
Figure 6.17	Comparison of DTG curve between the PVC/ENR/KCP composites with 5 phr and 20 phr KCP loading with and without BC treatment	160
Figure 7.1	Processing torque of PVC/ENR/KCP composites with the SDS treatment.	162
Figure 7.2	Stabilization torque of PVC/ENR/KCP composites with and without the SDS treatment.	163
Figure 7.3	Tensile strength of PVC/ENR/KCP composites with and without the SDS treatment.	164

		Page
Figure 7.4	Young's modulus of PVC/ENR/KCP composites with and without the SDS treatment.	165
Figure 7.5	Elongation at break of PVC/ENR/KCP composites with and without the SDS treatment.	166
Figure 7.6	Chemical interaction between sodium dedocyl sulphate (SDS) (a) with KCP, (b) with PVC/ENR.	167
Figure 7.7	Water uptakes of PVC/ENR/KCP composites with SDS treatment	168
Figure 7.8	Equilibrium of water uptake for PVC/ENR/KCP composites with and without SDS treatment.	168
Figure 7.9	Swelling Index for PVC/ENR/KCP composites with and without SDS treatment.	169
Figure 7.10	SEM fracture surface for PVC/ENR/KCP composites (5 phr kenaf) (a) without SDS treatment, (b) with SDS treatment.	171
Figure 7.11	FTIR analysis of PVC/ENR/KCP composites with and without SDS treatment	172
Figure 7.12	FTIR analysis of PVC/ENR/KCP with SDS treatment before and after thermo-oxidative ageing.	176
Figure 7.13	Damping factor ($\tan \delta$) and glass transition temperature (T_g) of the PVC/ENR/KCP composites with SDS treatment.	177
Figure 7.14	Storage Modulus (E') of the PVC/ENR/KCP composites with SDS treatment.	178

		Page
Figure 7.15	Comparison of decomposition temperature between the PVC/ENR/KCP composites with 5 phr and 20 phr kenaf core powder loading with and without SDS treatment.	179
Figure 7.16	Comparison of DTG curve between the PVC/ENR/KCP composites with 5 phr and 20 phr KCP loading with and without SDS treatment.	179

LIST OF UNITS

%	Percent
°C	Degree Celsius
μm	Micrometer
cm	Centimeter
Deriv.	Derivative
g	Gram
GPa	Giga Pascal
hrs	Hours
J	Joule
kg	Kilogram
kJ	Kilo joule
kN	Kilo Newton
kPa	Kilo Pascal
m ²	Square meter
min	Minute
ml	Milliliter
mm	Millimeter
MPa	Mega Pascal
phr	Part per hundred resin
rpm	Revolution per minute
wt%	Percent by weight
wt/v	Weight by volume
wt/wt	Weight by weight
v/v	Volume/volume